

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

**EVO-STIK THE DOGS WHITE Supercedes date** 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK THE DOGS WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against Not to be used in articles intended for direct or prolonged skin contact Not to be used in

production of toys or childcare articles Fabrics, textiles and apparel: bedding and clothing Gloves Footwear (shoes, boots) Paper products: tissue, towels, disposable dinnerware,

nappies, feminine hygiene products, adult incontinence products, writing paper

Reason why uses advised against Restricted substance per REACH Annex XVII

### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

**Hazard statements** 

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

**EU Specific Hazard Statements** 

United Kingdom - BE Page 1 / 16

**EVO-STIK THE DOGS WHITE Supercedes date** 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

EUH210 - Safety data sheet available on request

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine &

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine & Dioctyltinbis(acetylacetonate). May produce an allergic reaction

### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	Notes
Diisononyl phthalate 28553-12-0		01-2119430798 -28-XXXX		[1]	-	1	1	-
Trimethoxyvinylsilane 2768-02-7	1 - <2.5		220-449-8 (014-049-00-0)	Acute Tox. 4 (H332) Skin Sens. 1B (H317) Flam. Liq. 3 (H226)	-	-	-	-
Titanium dioxide 13463-67-7	0.1- <1	01-2119489379 -17-XXXX	236-675-5 (022-006-00-2)	[C]	-	-	-	V,W,10
N-(3-(trimethoxysilyl) propyl)ethylenediami ne 1760-24-3		01-2119970215 -39-XXXX	217-164-6	Eye Dam. 1 (H318) Skin Sens. 1B (H317) STOT SE 3 (H335)	-	-	-	-
Dioctyltinbis(acetylac etonate) 54068-28-9	0.1- <1	01-0000020199 -67-XXXX	483-270-6	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	-	-	-
N-[3-(Dimethoxymet hylsilyl)propyl]-ethyle nediamine 3069-29-2		01-2119963926 -21-xxxx	221-336-6	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	-	-	-

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring [I] - Restricted substance per REACH Annex XVII

Note V - If the substance is to be placed on the market as fibres (with diameter < 3  $\mu$ m, length > 5  $\mu$ m and aspect ratio  $\geq$  3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

United Kingdom - BE Page 2 / 16

**EVO-STIK THE DOGS WHITE** Supercedes date 17-Feb-2025 Revision date 17-Feb-2025 **Revision Number** 1

Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 μm.

### Full text of H- and EUH-phrases: see section 16

### Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol 67-56-1	200-659-6 (603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119433307- 44-XXXX

<u>Acute Toxicity Estimate</u>
If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Diisononyl phthalate	249-079-5	28553-12-0	-	-	-	-	-
Trimethoxyvinylsilane	220-449-8 (014-049-00-0)	2768-02-7	-	-	-	11	-
Titanium dioxide	236-675-5 (022-006-00-2)	13463-67-7	-	-	-	-	-
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine	217-164-6	1760-24-3	-	-	1.5	-	-
Dioctyltinbis(acetylacet onate)	483-270-6	54068-28-9	-	-	-	-	-
N-[3-(Dimethoxymethyl silyl)propyl]-ethylenedia mine		3069-29-2	500	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

United Kingdom - BE 3 / 16 Page

**EVO-STIK THE DOGS WHITE Supercedes date** 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

**Ingestion** Small amounts of toxic methanol are released by hydrolysis. Call a doctor immediately.

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with

vater.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

**Special protective equipment and** Wear self contained breathing apparatus for fire fighting if necessary.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

in eyes, on skin, or on clothing.

**For emergency responders** Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

United Kingdom - BE Page 4 / 16

EVO-STIK THE DOGS WHITE Supercedes date 17-Feb-2025 Revision date 17-Feb-2025 Revision Number 1

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

#### 7.3. Specific end use(s)

### Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure Limits**This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product Small amounts of methanol

(CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m <sup>3</sup> ;
28553-12-0		STEL: 15 mg/m <sup>3</sup> ;
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm;
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup> ;
	*	STEL: 250 ppm;
		STEL: 333 mg/m <sup>3</sup> ;
		pSk
Titanium dioxide	-	TWA: 10 mg/m³; total inhalable
13463-67-7		TWA: 4 mg/m³; respirable
		STEL: 30 mg/m³; total inhalable
		STEL: 12 mg/m³; respirable
Dioctyltinbis(acetylacetonate)	-	TWA: 0.1 mg/m <sup>3</sup> ;
54068-28-9		STEL: 0.2 mg/m³;
		pSk

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	=
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

United Kingdom - BE Page 5 / 16

**EVO-STIK THE DOGS WHITE** Supercedes date 17-Feb-2025 Revision date 17-Feb-2025 Revision Number 1

oute  oute  (1760-24-3) oute	Derived No Effect Level (DNEL) 51.72 mg/m³  366 mg/kg bw/d  Derived No Effect Level (DNEL) 27,6 mg/m³  3,9 mg/kg bw/d  Derived No Effect Level (DNEL) 10 mg/m³	Safety factor  Safety factor  Safety factor  Safety factor
oute  oute  (1760-24-3)	Derived No Effect Level (DNEL)  27,6 mg/m³  3,9 mg/kg bw/d  Derived No Effect Level (DNEL)  10 mg/m³	Safety factor  Safety factor
oute (1760-24-3)	Derived No Effect Level (DNEL) 27,6 mg/m³  3,9 mg/kg bw/d  Derived No Effect Level (DNEL) 10 mg/m³	Safety factor
oute (1760-24-3)	Derived No Effect Level (DNEL) 27,6 mg/m³  3,9 mg/kg bw/d  Derived No Effect Level (DNEL) 10 mg/m³	Safety factor
oute (1760-24-3)	(DNEL)  27,6 mg/m³  3,9 mg/kg bw/d  Derived No Effect Level (DNEL)  10 mg/m³  Derived No Effect Level (DNEL)	Safety factor
oute (1760-24-3)	(DNEL)  27,6 mg/m³  3,9 mg/kg bw/d  Derived No Effect Level (DNEL)  10 mg/m³  Derived No Effect Level (DNEL)	Safety factor
oute (1760-24-3)	(DNEL)  27,6 mg/m³  3,9 mg/kg bw/d  Derived No Effect Level (DNEL)  10 mg/m³  Derived No Effect Level (DNEL)	Safety factor
(1760-24-3)	Derived No Effect Level (DNEL) 10 mg/m³  Derived No Effect Level (DNEL)	
(1760-24-3)	Derived No Effect Level (DNEL) 10 mg/m³  Derived No Effect Level (DNEL)	
(1760-24-3)	(DNEL) 10 mg/m³  Derived No Effect Level (DNEL)	
(1760-24-3)	(DNEL) 10 mg/m³  Derived No Effect Level (DNEL)	
	Derived No Effect Level (DNEL)	Safety factor
	(DNEL)	Safety factor
	(DNEL)	Safety factor
	o o o o o o o o o o o o o o o o o o o	
	5 mg/kg bw/d	
	5 mg/kg bw/d	
oute	Derived No Effect Level	Safety factor
	0.07 mg/kg bw/d	
	84 mg/m³	
	84 mg/m³	
	0.091 mg/m³	
	oute	(DNEL) 0.07 mg/kg bw/d  84 mg/m³  84 mg/m³

United Kingdom - BE Page 6 / 16

**EVO-STIK THE DOGS WHITE Supercedes date** 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

		(DNEL)	
worker	Inhalation	12 mg/m³	
Long term			
Systemic health effects			
worker	Dermal	1.7 mg/kg bw/d	
Long term			
Systemic health effects			

<b>Derived No Effect Level (DNEL</b>	-)		
Trimethoxyvinylsilane (2768-0	2-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Туре	'		Safety factor
		(DNEL)	
Consumer	Oral	700 mg/kg bw/d	
Long term			
Systemic health effects			

N-(3-(trimethoxysilyl)propyl)ethyl	N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Long term Systemic health effects Consumer	Oral	2.5 mg/kg bw/d			
Long term Systemic health effects Consumer	Inhalation	8.7 mg/m³			
Long term Systemic health effects Consumer	Dermal	mg/kg bw/d			

N-[3-(Dimethoxymethylsilyl)propy	N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Inhalation	2.9 mg/m³	
Long term			
Systemic health effects			
Consumer	Dermal	0.83 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Oral	0.83 mg/kg bw/d	
Long term			
Systemic health effects			

 $\begin{tabular}{ll} \textbf{Predicted No Effect Concentration} & \textbf{No information available.} \\ \textbf{(PNEC)} \end{tabular}$ 

United Kingdom - BE Page 7 / 16

EVO-STIK THE DOGS WHITE Supercedes date 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Titanium dioxide (13463-67-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Marine water	0.0184 mg/l	
Freshwater sediment	1000 mg/kg	
Freshwater	0.184 mg/l	
Marine sediment	100 mg/kg	
Soil	100 mg/kg	
Microorganisms in sewage treatment	100 mg/l	
Freshwater - intermittent	0.193 mg/l	

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.062 mg/l	
Marine water	0.0062 mg/l	
Freshwater - intermittent	0.62 mg/l	
Freshwater sediment	0.05 mg/kg	
Marine sediment	0.005 mg/kg	
Soil	0.0075 mg/kg	
Sewage treatment plant	25 mg/l	

Dioctyltinbis(acetylacetonate) (54068-28-9)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	26 μg/l			
Marine water	2.6 μg/l			
Freshwater - intermittent	260 μg/l			
Sewage treatment plant	1 mg/l			
Freshwater sediment	0.155 mg/kg dry weight			
Marine sediment	0.0155 mg/kg dry weight			
Soil	0.0158 mg/kg dry weight			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.062 mg/l		
Marine water	0.006 mg/l		
Sewage treatment plant	25 mg/l		
Freshwater sediment	0.24 mg/kg dry weight		
Marine sediment	0.024 mg/kg dry weight		
Soil	0.01 ma/ka drv weiaht		

### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

**Hand protection** Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

**Skin and body protection**None under normal use conditions.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387. White. Brown.

United Kingdom - BE Page 8 / 16

EVO-STIK THE DOGS WHITE Supercedes date 17-Feb-2025 Revision date 17-Feb-2025 Revision Number 1

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Colour white

Odour Characteristic.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known
Autoignition temperature No data available None known
Decomposition temperature
No data available None known
None known

pHNo data availableNone known.pH (as aqueous solution)No data availableNot applicableKinematic viscosityNo data availableNone known

**Dynamic viscosity** approx 12000 Pa.s

Water solubilityReacts with water.Reacts with water.Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk density No data available

Liquid Density 1.56

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Product cures with moisture.

10.2. Chemical stability

**Stability** Stable under normal conditions.

United Kingdom - BE Page 9 / 16

**EVO-STIK THE DOGS WHITE Supercedes date** 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

### **Explosion data**

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

### **Product Information**

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

**Skin contact** Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

### **Numerical measures of toxicity**

### The following ATE values have been calculated for the mixture

 ATEmix (oral)
 >2000 mg/kg

 ATEmix (dermal)
 >2000 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-dust/mist)
 >5 mg/l

 ATEmix (inhalation-vapour)
 709.90 mg/l

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
0.1011110011110	0.4. 2200	20	

United Kingdom - BE Page 10 / 16

EVO-STIK THE DOGS WHITE Supercedes date 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

Diisononyl phthalate	>9750 mg/kg (Rattus)	>3160 mg/Kg (Oryctolagus cuniculus)	>4.4 mg/L (Rattus) 4 h
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h
N-(3-(trimethoxysilyl)propyl)eth ylenediamine	LD50 = 2295 mg/kg (Rattus) EPA OPPTS 870.1100	LD50 > 2000 mg/kg (Oryctolagus cuniculus) EPA OPPTS 870.1200	1.49 - 2.44 mg/L (Rat)4 h
Dioctyltinbis(acetylacetonate)	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat)4 h
N-[3-(Dimethoxymethylsilyl)pro pyl]-ethylenediamine	=200 - 2000 mg/Kg (Rattus) (OECD 401)	>5000 mg/Kg (Oryctolagus cuniculus) (OECD 402)	> 5.2 mg/L (Rattus)4 h (OECD 403)

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Titanium dioxide (13463-67-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Titanium dioxide (13463-67-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

### Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information						
Method	Species	Exposure route	Results			
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses			
Sensitisation			were observed			

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method	Species	Results		
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic		
Mutation Test				

United Kingdom - BE Page 11 / 16

EVO-STIK THE DOGS WHITE Supercedes date 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

Carcinogenicity

Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide	Carc. 2

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)			
Method	Species	Results	
OECD Test No. 422: Combined Repeated Dose Rat Not Classifiable			
Toxicity Study with the			
Reproduction/Developmental Toxicity Screening			
Test			

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** Based on available data, the classification criteria are not met.

### 11.2.2. Other information

Other adverse effects No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

### **Ecotoxicity**

	Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
- [		plants		microorganisms			(long-term)
ſ	Diisononyl phthalate	EC50: >500mg/L	LC50 96 h > 100	-	EC50: >500mg/L		
-	28553-12-0	(72h,	mg/L		(48h, Daphnia		
-		Desmodesmus	(Brachydanio		magna)		
-		subspicatus)	rerio semi-static)		EC50:		

United Kingdom - BE Page 12 / 16

**EVO-STIK THE DOGS WHITE Supercedes date** 17-Feb-2025

Revision date 17-Feb-2025 Revision Number 1

	EC50: >1.8mg/L (96h, Pseudokirchneri ella subcapitata)			>0.06mg/L (48h, Daphnia magna)	
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)	
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-	
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static	
Dioctyltinbis(acetylacet onate) 54068-28-9	-	LC50 (96h) =86 mg/L (Static)	-	EC50 (48h) =58.6 mg/L (Daphnia magna)	

### 12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)				
Method	Exposure time	Value	Results	
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily	
Biodegradability: Manometric			biodegradable	
Respirometry Test (TG 301 F)				

### 12.3. Bioaccumulative potential

### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
Diisononyl phthalate	9.7
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3

### 12.4. Mobility in soil

Mobility in soil No information available.

### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment**Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Diisononyl phthalate	The substance is not PBT / vPvB
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** Based on available data, the classification criteria are not met.

United Kingdom - BE Page 13 / 16

EVO-STIK THE DOGS WHITE Supercedes date 17-Feb-2025 Revision date 17-Feb-2025 Revision Number 1

### 12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

### <u>IMDG</u>

14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated

14.5 Marine pollutant NP
14.6 Special precautions for user
Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

### Air transport (ICAO-TI / IATA-DGR)

14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable

14.6 Special precautions for user Special Provisions None

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom - BE Page 14 / 16

EVO-STIK THE DOGS WHITE Supercedes date 17-Feb-2025 Revision date 17-Feb-2025 Revision Number 1

### **European Union**

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltinbis(acetylacetonate)	54068-28-9	Use restricted. See entry 20.

20 (6) DOT. 52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008.

Therefore this product is subject to prior informed consent notification .

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Dioctyltinbis(acetylacetonate) - 54068-28-9	l.1

### Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

### **Persistent Organic Pollutants**

Not applicable

# REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

### National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

### SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

United Kingdom - BE Page 15 / 16

EVO-STIK THE DOGS WHITE Supercedes date 17-Feb-2025 Revision date 17-Feb-2025 Revision Number 1

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation H371 - May cause damage to organs

### Notes relating to the identification, classification and labelling of substances

Note V - If the substance is to be placed on the market as fibres (with diameter < 3  $\mu$ m, length > 5  $\mu$ m and aspect ratio  $\geq$  3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation

### Notes relating to the classification and labelling of mixtures

Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value Sk\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 17-Feb-2025

Indication of changes

Revision Note Not applicable.

Training Advice No information available Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 16 / 16