

Date of Issue: 11-11-2024 Date of Revision: 17-03-2025

Jeyes Fluid Outdoor Cleaner Original Multi-Use Classic Formula (GB)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Jeyes Fluid Classic Disinfectant GB

(Contains: chlorocresol; 4-chloro-m-cresol; 4-chloro-3-methylphenol, Alcohols, C12-15, ethoxylated, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl,

chlorides)

Product code 02024962

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)
Uses Advised Against
Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Easy Cleaning Solutions

Address of Manufacturer Brunel Way
Thetford

Thetford Norfolk UK

Postal code IP24 1HF

Telephone: +44 (0)1842 757575

Fax Not known.

E-mail contact@easycleaningco.com

Office hours Supplier

Company Identification Easy Cleaning Solutions

Address of Supplier Brunel Way

Thetford Norfolk UK

Postal code IP24 1HF

Telephone: +44 (0)1842 757575

Fax Not known.

E-mail contact@easycleaningco.com

Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1842 757575

Contact contact@easycleaningco.com

National response centre

Address NHS Direct Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Skin Corr. 1C :Causes severe skin burns and eye damage.

UK SI 2020/1567 Skin Sens. 1B :May cause an allergic skin reaction.

Eye Dam. 1: Causes serious eye damage.

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name Jeyes Fluid Classic Disinfectant GB

(Contains: chlorocresol; 4-chloro-m-cresol; 4-chloro-3-methylphenol, Alcohols, C12-15, ethoxylated, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl,

chlorides)





Hazard Pictogram(s)





Signal Word(s) Danger

Hazard Statement(s) H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read carefully and follow all instructions.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE/doctor.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

Detergents info: 5-15% Soap, <5% Cationic surfactants, <5% Non-ionic surfactants.

Also contains: Alcohol and Biocides Benzalkonium chloride(0.5g/100g) &

Chlorocresol (6g/100g).

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
chlorocresol; 4-chloro-m-cresol; 4- chloro-3-methylphenol	59-50-7	200-431-6		Acute Tox. 4 H302 Skin Corr. 1C H314 Skin Sens. 1B H317 Eye Dam. 1 H318 STOT SE 3 H335 Aquatic Acute 1 H400 Aquatic Chronic 3 H412	GHS05 GHS07 GHS09
2-(4-methylcyclohex-3-en-1-yl)propan- 2-ol (multi-constituent)		701-188-3	<5	Skin Irrit. 2 H315 Eye Irrit. 2 H319	GHS07
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	270-325-2	<5%	Acute Tox. 4 H302 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS07 GHS09
Dimethoxymethane	109-87-5	203-714-2	<0.1	Flam. Liq. 2 H225	GHS02



Date of Issue: 11-11-2024 Date of Revision: 17-03-2025

Jeyes Fluid Outdoor Cleaner Original Multi-Use Classic Formula (GB)

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration	M-factor	ATE
		Limit		
chlorocresol; 4-chloro-m-cresol; 4-chloro-3-methylphenol	59-50-7			Acute Tox. 4 (H302) : 500
Quaternary ammonium compounds, benzyl-C12-14- alkyldimethyl, chlorides	85409-22-9		Aquatic Acute 1: 10	Acute Tox. 4 (H302) : 500

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Immediately call a POISON CENTRE/doctor.

Skin Contact Take off immediately all contaminated clothing and wash it before reuse. If skin

irritation or rash occurs: Get medical advice/aftention. Specific treatment (see Medical Advice on this label). Rinse skin with water. Immediately call a POISON

CENTRE/doctor.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON

CENTRE/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. May cause allergic skin reactions

(allergic contact dermatitis).

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face

protection.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and

watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling



Date of Issue: 11-11-2024 Date of Revision: 17-03-2025

Jeyes Fluid Outdoor Cleaner Original Multi-Use Classic Formula (GB)

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and exposed skin

thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s) Not known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits									
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note			
Dimethoxymethane	109-87-5	1000	3160	1250	3950				
Methanol	67-56-1	200	266	250	333	Sk			
Ethanol	64-17-5	1000	1920						

Region United Kingdom

Source UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark

Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning

purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN ISO 16321-1).

Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough

time of the glove material: refer to the information provided by the gloves' producer.

Respiratory protection Normally no personal respiratory protection is necessary.

Thermal hazards None known.

Spillages or uncontrolled discharges into watercourses must be alerted to the **Environmental Exposure Controls**

appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid.

Colour: Dark brown

Odour Phenolic





imits

Vapour pressure
Vapour density
Density (g/ml)
Relative density
Not known.
Not known.
Not known.

Solubility(ies) Solubility (Water): Soluble in water. Solubility (Other): Not known.

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition Temperature (°C)
Not known.

Viscosity

Explosive properties Not known. Oxidising properties Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 6535.95

Acute toxicity - Skin Contact Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 600000

Acute toxicity - Inhalation Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 6000

Skin corrosion/irritation Calculation method : Causes severe skin burns and eye damage.

Serious eye damage/irritation

Calculation method : Causes serious eye damage.

Skin sensitization data

Calculation method : May cause an allergic skin reaction.

Respiratory sensitization data Calculation method: Not classified. Germ cell mutagenicity Calculation method: Not classified. Carcinogenicity Calculation method: Not classified. Reproductive toxicity Calculation method: Not classified. Lactation Calculation method: Not classified. STOT - single exposure Calculation method: Not classified. STOT - repeated exposure Calculation method: Not classified. Aspiration hazard Calculation method: Not classified.

11.2 Other information

Not known.





SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

ADR 1760 RID 1760 IMDG 1760 IATA 1760

14.2 UN proper shipping name

ADR Corrosive liquid, N.O.S. (chlorocresol; 4-chloro-m-cresol; 4-chloro-3-methylphenol,

Alkyl dimethyl benzyl ammonium chloride).

RID Corrosive liquid, N.O.S. (chlorocresol; 4-chloro-m-cresol; 4-chloro-3-methylphenol,

Alkyl dimethyl benzyl ammonium chloride).

IMDG Corrosive liquid, N.O.S. (chlorocresol; 4-chloro-m-cresol; 4-chloro-3-methylphenol,

Alkyl dimethyl benzyl ammonium chloride).

IATA Corrosive liquid, N.O.S. (chlorocresol; 4-chloro-m-cresol; 4-chloro-3-methylphenol,

Alkyl dimethyl benzyl ammonium chloride).

14.3 Transport hazard class(es)

ADR 3
RID 3
IMDG 3
IATA 3

14.4 Packing group

ADR III RID III





IMDG III IATA III

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK REACH Authorisation List (Annex Not listed

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XVII) Not listed

Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

UK REACH Rolling Action Plan (RAP) Not listed The Persistent Organic Pollutants Not listed

Regulations 2007 (SI 2007/3106) as

amended

The Ozone-Depleting Substances and Not listed

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and

import of hazardous chemicals

SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) Methanol (67-56-1)

15.2 Chemical Safety Assessment

United Kingdom A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)





GHS02: GHS: Flame GHS09: GHS: Environment

Hazard classification Flam. Liq. 2 : Flammable liquid, Category 2

Acute Tox. 4: Acute toxicity, Category 4

Skin Corr. 1B: Skin corrosion/irritation, Category 1B





Skin Corr. 1C: Skin corrosion/irritation, Category 1C
Skin Irrit. 2: Skin corrosion/irritation, Category 2
Skin Sens. 1B: Skin sensitization, Category 1B
Eye Dam. 1: Serious eye damage/irritation, Category 1
Eye Irrit. 2: Serious eye damage/irritation, Category 2

STOT SE 3: Specific target organ toxicity — single exposure, Category 3
Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

 ${\sf P301+P330+P331+P310: IF\ SWALLOWED:\ Rinse\ mouth.\ Do\ NOT\ induce}$

vomiting. Immediately call a POISON CENTRE/doctor. P302+P352: IF ON SKIN: Wash with plenty of water.

P303+P361+P353+P310: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

P321: Specific treatment (see Medical Advice on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service DNEL : Derived No Effect Level EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

Acronyms





vPvB : very Persistent and very Bioaccumulative

Key literature references and source data used to compile the SDS Training Advice
Disclaimers

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Regular safety training as appropriate

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Easy Cleaning Solutions gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Easy Cleaning Solutions accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.