

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/4/2012 Revision date: 2/22/2024 Supersedes version of: 10/23/2023 Version: 14.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Rustins French Polish UFI : QJ3J-XJV5-H01A-7DV4

Product code : FREP
Type of product : Paste

Synonyms : FRENCH POLISH Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use

Use of the substance/mixture : 55/999 Others Function or use category : 55/999 Others

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Rustins Ltd Waterloo raod NW2 7TX London United Kingdom

T +442084504666, F +44 (0)208 452 2008

rustins@rustins.co.uk, rustins.ltd

Distributor

Excellence Ltd 43 Grange Parade, Unit 43 Baldoyle Industrial Estate, D13 Y860 Dublin Ireland

T 00353 (0)1 8323300, F 00353 (0)1 8323584

Orders@excellence.ie, www.excellence.ie

Distributor

BSR Limited trading as GMR Imports

4

Bute Street PO Box 279 Invercargill, 9810 T 0800800718

info@gmrimports.co.nz, www.gmrimports.co.nz

1.4. Emergency telephone number

Emergency number : +44(0)2084504666

OFFICE HOURS ONLY MON. - FRI. 08:00 - 16.30

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
New Zealand	Local Poison Centre	Invercargill	0800 764 766	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof ventilating, electrical equipment.

P280 - Wear eye protection, face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

 $\ensuremath{\mathsf{P501}}$ - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	0.1 – 5	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	(3 ≤ C < 10) STOT SE 2, H371 (10 ≤ C ≤ 100) STOT SE 1, H370

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

2/22/2024 (Revision date) EN (English) 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof

equipment. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Switzerland

Storage class (LK) : LK 3 - Flammable liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Rustins French Polish		
Belgium - Occupational Exposure Limits		
Local name	Alcool éthylique # Ethanol	
OEL TWA	1907 mg/m³	
	1000 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Croatia - Occupational Exposure Limits		
Local name	Etanol; etil-alkohol	
GVI (OEL TWA)	1900 mg/m³	
	1000 ppm	
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)	
Germany - Occupational Exposure Limits (TRGS 90	0)	
Local name	Ethanol	
AGW (OEL TWA)	380 mg/m³	
	200 ppm	
Peak exposure limitation factor	4(II)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Remark by Archael Control Cont	Rustins French Polish		
Incland - Occupational Exposure Limits Ethanol [Ethyl alcohol]	Remark	(MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu	
Ethanol (Ethyl alcohol) CEL STEL 1000 ppm Regulatory reference Chemical Agents Code of Practice 2021 Romania - Occupational Exposure Limits Local name Alcool etilic/Etanol CEL TWA 1900 mg/m² 1000 ppm CEL STEL 9800 mg/m³ 5000 ppm Regulatory reference Hotafarea Guvernului nr. 1.218/2006 (Hotafarea nr. 53/2021) Stovenia - Occupational Exposure Limits Local name 4 stanol (etilialkohol) CEL TWA 9800 mg/m³ 5000 ppm CEL STEL 1820 mg/m³ 1000 ppm Remark 7 (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, \$t. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VL-EC (CEL STEL) 1910 mg/m³ 1000 ppm Remark S (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y lo como bicida. Para una información detallada acerca de las prohibiciones conscileses lessa de datos de producos bicidas: http://www.massi.gob.es/agricultura/pags/fitos/registrofichas/pdf/Lista_sa.pdf), Regulatory reference Limits de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macadonia - Occupational Exposure Limits Local name erai-on (erunanixxxon) CEL TWA 1900 mg/m³ 1000 ppm	Regulatory reference	TRGS900	
Negulatory reference Chemical Agents Code of Practice 2021	Ireland - Occupational Exposure Limits		
Regulatory reference Chemical Agents Code of Practice 2021 Romania - Occupational Exposure Limits Local name Alcool etilic/Etanol OEL TWA 1900 mg/m² 1000 ppm Regulatory reference Hotararea Guvernului nr. 1.218/2006 (Hotararea nr. 53/2021) Slovenia - Occupational Exposure Limits Local name etanol (etilalkohol) OEL TWA 9600 mg/m² 5000 ppm Regulatory reference Hotararea Guvernului nr. 1.218/2006 (Hotararea nr. 53/2021) Slovenia - Occupational Exposure Limits Local name etanol (etilalkohol) OEL TWA 9600 mg/m² 500 ppm Remark 1000 ppm Remark 7 (Snovt, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Vrednosti) Regulatory reference Uradin list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Elanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m² 1000 ppm Remark f (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como focamitario sy to como biodda. Para una información detallada acerca de las prohibiciones consultese. Base de datos de productos bioddas: http://www.massi.gob.es/ciudadanos/productos.do?tipe-plaguicidas Base de datos de productos biodás. http://www.massi.gob.es/ciudadanos/productos.do?tipe-plaguicidas Base de datos de productos biodás. Regulatory reference Limites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name eranon (erunankoxon) OEL TWA 1900 mg/m² 1000 ppm	Local name	Ethanol [Ethyl alcohol]	
Romania - Occupational Exposure Limits Local name Alcool etilic/Etanol OEL TWA 1900 mg/m³ 1000 ppm 1900 mg/m³ 6000 ppm 1900 mg/m³ 8egulatory reference 9500 mg/m³ 8egulatory reference Hotarårea Guvernului nr. 1.218/2006 (Hotarårea nr. 53/2021) 8iovenia - Occupational Exposure Limits 1900 mg/m³ Local name etanol (etilalkohol) OEL STEL 1920 mg/m³ 1000 ppm 1900 mg/m³ Remark Y (Snovl, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 8pain - Occupational Exposure Limits 1000 ppm VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como ricosantario yo to como biocida. Para una información detallada acerca de las prohibiciones conscillese: Base de datos de productos biocidas: http://www.magrama.gob.es/ciudatanos/productos do?tipo-plaquicidas Base de datos de productos biocidas: http://www.magrama.gob.es/ciudatanos/productos do?tipo-plaquicidas para detas de productos biocidas: http://www.magrama.gob.es/ciudatanos/productos do?tipo-plaquicidas para detas de productos bio	OEL STEL	1000 ppm	
Local name Alocol etilic/Etanol OEL TWA 1900 mg/m³ 1000 ppm 1000 ppm OEL STEL 9500 mg/m³ 6000 ppm 5000 ppm Regulatory reference Hotárárea Guvernului nr. 1.218/2006 (Hotárárea nr. 53/2021) Siovenia - Occupational Exposure Limits 1500 mg/m³ Local name 4 clanol (etilalkohol) OEL TWA 960 mg/m³ 500 ppm 500 ppm OEL STEL 1920 mg/m³ 1000 ppm 1000 ppm Remark "C (Snovi., pri katerin ni nevarnosti za zarodek ob upoštevanju mejnih vrednostli in bat vrednostli vred	Regulatory reference	Chemical Agents Code of Practice 2021	
OEL TWA 1900 mg/m² OEL STEL 9500 mg/m² Regulatory reference Hota*race Guvernului nr. 1.218/2006 (Hota*race nr. 53/2021) Slovenia - Occupational Exposure Limits etanol (etilalkohol) OEL TWA 960 mg/m² 500 ppm OEL STEL 1920 mg/m² 1000 ppm Remark √ (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5 2021 Span - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m² 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones conscillese: Base de datos de productos biocidas. http://www.msss.gb.ob.es/deciludadnos/productos dro/tipo-plaquicidas Base de datos de productos fitosanitarios http://www.msss.gb.ob.es/deciludadnos/productos dro/tipo-plaquicidas Base datos de productos dro/tipo-plaquicidas	Romania - Occupational Exposure Limits		
DEL STEL 9500 mg/m³ 5000 ppm Regulatory reference Hotararea Guvernului nr. 1.218/2006 (Hotararea nr. 53/2021) Slovenia - Occupational Exposure Limits Local name etanol (etilalkohol) OEL STEL 960 mg/m³ 500 ppm OEL STEL 1920 mg/m³ 500 ppm Remark 7 (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference uradnih list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm Remark \$ (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas. http://www.massi.gob.es/ciudadanos/productos.do/?tipo=plaguicidas Base de datos de productos fitosanitario shttp://www.massi.gob.es/ciudadanos/productos.do/?tipo=plaguicidas Base de datos de productos fitosanitario shttp://www.massi.gob.es/ciudadanos/productos.do/?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.massi.gob.es/ciudadanos/productos.do/?tipo=plaguicidas Base de datos de produc	Local name	Alcool etilic/Etanol	
OEL STEL 9500 mg/m² Regulatory reference Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021) Stovenia - Occupational Exposure Limits Local name etanol (etilalkohol) OEL TWA 960 mg/m² 500 ppm 500 ppm OEL STEL 1920 mg/m² 1000 ppm 1000 ppm Remark Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m² 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y como biocida. Para una información detallada acerca de las prohibiciones consiltese: Base de datos de productos biocidas: http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name eranon (erunankoxon) OEL TWA 1900 mg/m³ 1000 ppm	OEL TWA	1900 mg/m³	
Regulatory reference Hotararea Guvernului nr. 1.218/2006 (Hotararea nr. 53/2021) Slovenia - Occupational Exposure Limits Local name etanol (etilalkohol) OEL TWA 960 mg/m³ 500 ppm OEL STEL 1920 mg/m³ 1000 ppm Remark Y (Snovi, pri katerith ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitarios consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.msssi.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name etanon (etanankoxon) OEL TWA 1900 mg/m³ 1000 ppm		1000 ppm	
Regulatory reference Hotaraea Guvernului nr. 1.218/2006 (Hotaraea nr. 53/2021) Slovenia - Occupational Exposure Limits Local name etanol (etilalkohol) OEL TWA 960 mg/m³ 500 ppm OEL STEL 1920 mg/m³ 1000 ppm Remark Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosalitario yo como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonía - Occupational Exposure Limits Local name erahon (erwnankoxon) OEL TWA 1900 mg/m³ 1000 ppm	OEL STEL	9500 mg/m³	
Slovenia - Occupational Exposure Limits Local name etanol (etilalkohol) OEL TWA 960 mg/m³ 500 ppm OEL STEL 1920 mg/m³ 1000 ppm Remark Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fiscanitario y loc como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosalitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Limites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name erawon (erwnankoxon) OEL TWA 1900 mg/m³ 1000 ppm		5000 ppm	
Local name etanol (etilalkohol) OEL TWA 960 mg/m³ 500 ppm 500 ppm OEL STEL 1920 mg/m³ 1000 ppm 1000 ppm Remark Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario ylo como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos hiocidas. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos hiocidas. Regulatory reference Limites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonía - Occupational Exposure Limits Limites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonía - Occupational Exposure Limits Teahon (erwnankoxon) OEL TWA 1900 mg/m³ 1000 ppm	Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)	
OEL TWA 960 mg/m³ OEL STEL 1920 mg/m³ Remark Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/lo como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: hutp://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Limites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name e anno (erunanioxon) OEL TWA 1900 mg/m³ 1000 ppm KTY 4	Slovenia - Occupational Exposure Limits		
OEL STEL500 ppmOEL STEL1920 mg/m³ 1000 ppmRemarkY (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti v rednosti)Regulatory referenceUradni list RS, št. 72/2021 z dne 11.5.2021Spain - Occupational Exposure LimitsLocal nameEtanol (Alcohol etilico)VLA-EC (OEL STEL)1910 mg/m³ 1000 ppmRemarks (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: 	Local name	etanol (etilalkohol)	
DEL STEL 1920 mg/m³ 1000 ppm Remark 7 (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos hiocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name erahon (етилалкохол) OEL TWA 1900 mg/m³ 1000 ppm KTV 4	OEL TWA	960 mg/m³	
Remark Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti) Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name etanon (етилалкохол) OEL TWA 1900 mg/m³ 1000 ppm KTV 4		500 ppm	
RemarkY (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti)Regulatory referenceUradni list RS, št. 72/2021 z dne 11.5.2021Spain - Occupational Exposure LimitsEtanol (Alcohol etilico)Local nameEtanol (Alcohol etilico)VLA-EC (OEL STEL)1910 mg/m³1000 ppmRemarks (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).Regulatory referenceLímites de Exposición Profesional para Agentes Químicos en España 2023. INSHTNorth Macedonia - Occupational Exposure LimitsLocal nameetahon (етилалкохол)OEL TWA1900 mg/m³ 1000 ppmKTV4	OEL STEL	1920 mg/m³	
Regulatory reference Uradni list RS, št. 72/2021 z dne 11.5.2021 Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ Remark s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits eтанол (етилалкохол) OEL TWA 1900 mg/m³ 1000 ppm KTV 4		1000 ppm	
Spain - Occupational Exposure Limits Local name Etanol (Alcohol etilico) VLA-EC (OEL STEL) 1910 mg/m³ 1000 ppm s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits eтанол (етилалкохол) OEL TWA 1900 mg/m³ 1000 ppm KTV 4	Remark		
Local nameEtanol (Alcohol etilico)VLA-EC (OEL STEL)1910 mg/m³1000 ppms (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).Regulatory referenceLímites de Exposición Profesional para Agentes Químicos en España 2023. INSHTNorth Macedonia - Оссираtional Exposure LimitsLocal nameетанол (етилалкохол)ОЕL TWA1900 mg/m³1000 ppmKTV4	Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021	
VLA-EC (OEL STEL)1910 mg/m³Remarks (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios wittp://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).Regulatory referenceLímites de Exposición Profesional para Agentes Químicos en España 2023. INSHTNorth Macedonia - Оссираtional Exposure LimitsLocal nameетанол (етилалкохол)ОЕL TWA1900 mg/m³1000 ppmKTV4	Spain - Occupational Exposure Limits		
1000 ppm	Local name	Etanol (Alcohol etílico)	
Remark S (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name eтанол (етилалкохол) OEL TWA 1900 mg/m³ 1000 ppm KTV 4	VLA-EC (OEL STEL)	1910 mg/m³	
fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). Regulatory reference Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT North Macedonia - Occupational Exposure Limits Local name etahon (етилалкохол) OEL TWA 1900 mg/m³ 1000 ppm KTV 4		1000 ppm	
North Macedonia - Occupational Exposure LimitsLocal nameетанол (етилалкохол)OEL TWA1900 mg/m³ 1000 ppmKTV4	Remark	fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios	
Local nameетанол (етилалкохол)OEL TWA1900 mg/m³1000 ppmKTV4	Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT	
OEL TWA 1900 mg/m³ 1000 ppm KTV 4	North Macedonia - Occupational Exposure Limits		
TO 1000 ppm 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Local name	етанол (етилалкохол)	
KTV 4	OEL TWA	1900 mg/m³	
		1000 ppm	
Short time value [mg/m³] 7600 mg/m³	кту	4	
	Short time value [mg/m³]	7600 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rustins French Polish		
Short time value [ppm]	4000 ppm	
Remark	(КТV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанци во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m3 или во ml/m3(ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (Y)	
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанци ("Службен весник на Република Македонија" бр.46/10)	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : brown. Odour : Alcoholic. Odour threshold : Not available Melting point : No data available. Freezing point : Not available Boiling point : > 35 °C Flammability : Not applicable Lower explosion limit : Not available : Not available Upper explosion limit · 13 °C Flash point

Auto-ignition temperature : No data available.

Decomposition temperature : Not available

pH : ≤7

Viscosity, kinematic : Not available Solubility : Soluble in ethanol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 0.875@ 20 C Relative vapour density at 20°C : No data available. Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

methanol (67-56-1)

pH NO DATA AVAILABLE

Serious eye damage/irritation : Not classified $pH: \le 7$

methanol (67-56-1)

pH NO DATA AVAILABLE

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

methanol (67-56-1)

STOT-single exposure Causes damage to organs.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term : N

(chronic)

: Not classified

12.2. Persistence and degradability

Rustins French Polish	
Persistence and degradability Not rapidly degradable	
methanol (67-56-1)	
Persistence and degradability Not rapidly degradable	

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

2/22/2024 (Revision date) EN (English) 8/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1263	UN 1263	UN 1263	UN 1263	UN 1263
14.2. UN proper shippin	g name			
PAINT / PAINT RELATED MATERIAL	PAINT RELATED MATERIAL	Paint related material	PAINT RELATED MATERIAL	PAINT RELATED MATERIAL
Transport document descr	iption			
UN 1263 PAINT / PAINT RELATED MATERIAL, 3, II, (D/E)	UN 1263 PAINT RELATED MATERIAL, 3, II	UN 1263 Paint related material, 3, II	UN 1263 PAINT RELATED MATERIAL, 3, II	UN 1263 PAINT RELATED MATERIAL, 3, II
14.3. Transport hazard	class(es)			
3	3	3	3	3
3	3	3	3	3
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 163, 367, 640C, 650

Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (ADR) : P001
Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : L1.5BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33
Orange plates :

33 1263

Tunnel restriction code (ADR) : D/E EAC code : •3YE

Transport by sea

Special provisions (IMDG): 163, 367Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire): F-EEmS-No. (Spillage): S-EStowage category (IMDG): B

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A72, A192

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 163, 367, 640C, 650

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 163, 367, 640C, 650

Limited quantities (RID) : 5L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001

Special packing provisions (RID) : PP1

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID): L1.5BNTransport category (RID): 2Colis express (express parcels) (RID): CE7Hazard identification number (RID): 33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Netherlands

ABM category : A(4) - low hazard for aquatic organisms, may have longterm hazardous effects in aquatic

: None of the components are listed

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class I-1 Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids

must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

HSNO Approval Code / Group Standard:

Surface Coatings and Colourants (Flammable) Group Standard 2017

HSNO Approval Number: HSR002662

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H371	May cause damage to organs.
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.