

Date of Issue: 24-08-2022 Date of Revision: 05-07-2023

Gorilla Grab Adhesive White

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Gorilla Grab Adhesive White

CAS No. Not applicable. EC No. Not applicable. REACH Registration No. Not known.

Unique Formula Identifier (UFI) MF00-A03Q-6007-0NEG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Adhesives, Sealants

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Gorilla Glue Europe Ltd Address of Manufacturer 26 Eaton Avenue

Matrix Park Buckshaw Village Chorley

Postal code PR7 7NA Telephone: 01257 241 319

E-mail eucustomercare@gorillaglue.com

Office hours 08:30 - 17:00

Supplier

Company Identification GG Brands Netherlands B.V.

Address of Supplier
Lichttoren 32
5611 BJ
Findhoven

Telephone +31 85 064 4029
E-mail eucustomercare@gorillaglue.com

E-mail

1.4 Emergency telephone number

Supplier Contact: Stuart Shotton
Emergency Phone No. +44 (0)843 507 1200

()

Northern Ireland: NHS Direct Emergency Phone No. +44 111 (24 hours)

Republic of Ireland: NPIC Ireland

Emergency Phone No. +353 (0) 1 809 2166 (8am - 10pm)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Eye Irrit. 2 :Causes serious eye irritation.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Gorilla Grab Adhesive White Hazard Pictogram(s)

GHS07

Signal Word(s) Warning

Hazard Statement(s) H319: Causes serious eye irritation.

EUH208: Contains: N-(3-(trimethoxysilyl)propyl)ethylenediamine,

Trimethoxyvinylsilane. May produce an allergic reaction.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

Page: 1 - 7 Revision: 5 - Replaces: 4

GORILLA S

Date of Issue: 24-08-2022 Date of Revision: 05-07-2023

Gorilla Grab Adhesive White

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Titanium dioxide	13463-67-7	236-675-5 01-2119489379- 17-XXXX	<3	Not classified	None
N-(3- (trimethoxysilyl)propyl)ethylenediamine	1760-24-3	217-164-6 01-2119970215- 39-XXXX	<1	Skin Sens. 1B H317 Eye Dam. 1 H318 STOT SE 3 H335	GHS05 GHS07
Trimethoxyvinylsilane	2768-02-7	220-449-8	<1	Skin Sens. 1B H317	GHS07
3-(trimethoxysilyl)propylamine	13822-56-5	237-511-5 01-2119510159- 45-XXXX	<1	Skin Irrit. 2 H315 Eye Dam. 1 H318	GHS05 GHS07
[3-(2,3- epoxypropoxy)propyl]trimethoxysilane	2530-83-8	219-784-2 01-2119513212- 58-XXXX	≤0.5	Eye Dam. 1 H318 Aquatic Chronic 3 H412	GHS05
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	258-207-9 01-2119537297- 32-XXXX	<0.5	Eye Dam. 1 H318 Repr. 2 H361f Aquatic Acute 1 H400 Aquatic Chronic 2 H411	GHS05 GHS08 GHS09
Dioctyltin oxide	870-08-6	212-791-1 01-2119971268- 27-XXXX	<0.1	STOT SE 2 H371	GHS08
Tetraethyl silicate	78-10-4	201-083-8 01-2119496195- 28-XXXX	<0.05	Flam. Liq. 3 H226 Eye Irrit. 2 H319 Acute Tox. 4 H332 STOT SE 3 H335	GHS02 GHS07

Contains no non-classified substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Wash skin with soap and water.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Wash out mouth with water.
4.2 Most important symptoms and effects, both acute and delayed
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

Page: 2 - 7 Revision: 5 - Replaces: 4

GORILLA

Date of Issue: 24-08-2022 Date of Revision: 05-07-2023

Gorilla Grab Adhesive White

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

Combustion or thermal decomposition will evolve toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

Wash hands and exposed skin after use.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a

container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

General hygiene measures for the handling of chemicals are applicable. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid contact with eyes. Wear protective gloves/eye protection. Wash hands and exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in a tightly closed container.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Adhesives, Sealants

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL (ppm)	STEL (mg/m³)	Note
			mg/m³)	,	, , ,	
Titanium dioxide total inhalable	13463-67-7		10			
Titanium dioxide respirable	13463-67-7		4			
Tin compounds, organic, except	870-08-6		0.1		0.2	Sk
Cyhexatin (ISO), (as Sn)						
Tetraethyl orthosilicate	78-10-4	5	44			

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

Page: 3 - 7 Revision: 5 - Replaces: 4

GORILLA

Date of Issue: 24-08-2022 Date of Revision: 05-07-2023

Gorilla Grab Adhesive White

8.2 Exposure controls

purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear protective eye glasses for protection against liquid splashes.

Skin protection Wear suitable gloves if prolonged skin contact is likely.

Breakthrough time of the glove material: refer to the information provided by the

gloves' producer.

(i)

Respiratory protection

Normally no personal respiratory protection is necessary.

Handling of larger amounts: Wear suitable respiratory protection.

Thermal hazards Not applicable.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid.
Colour White.
Odour Characteristic.
Melting point/freezing point Not known.
Boiling point or initial boiling point and boiling range

Flammability
Lower and upper explosion limit
Flash Point
Auto-ignition temperature
Decomposition Temperature
PH
Not known.

Solubility Solubility (Water) : Immiscible. Solubility (Other) : Not known.

Partition coefficient n-octanol/water (log Not known.

value)

Vapour pressure Not known.

Density and/or relative density Not known.

Relative vapour density Not known.

Particle characteristics Not applicable.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Page: 4 - 7 Revision: 5 - Replaces: 4

GORILLA

Date of Issue: 24-08-2022 Date of Revision: 05-07-2023

Gorilla Grab Adhesive White

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Heat and direct sunlight.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Calculated acute toxicity estimate (ATE) Calc ATE - 29333.33000

Skin corrosion/irritation Non-irritant.

Serious eye damage/irritation Causes serious eye irritation. No data.

Germ cell mutagenicity There is no evidence of mutagenic potential.

Carcinogenicity No evidence of carcinogenicity. Reproductive toxicity No evidence of reproductive effects.

Lactation Not classified.

STOT - single exposure None anticipated.

STOT - repeated exposure None anticipated.

Aspiration hazard Not classified.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

None known.

11.2.2 Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates
Toxicity - Fish
Toxicity - Algae

Low toxicity to invertebrates.
Low toxicity to fish.
Low toxicity to algae.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Immiscible with water. The product is predicted to have low mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Page: 5 - 7 Revision: 5 - Replaces: 4



Date of Issue: 24-08-2022 Date of Revision: 05-07-2023

Gorilla Grab Adhesive White

Dispose at suitable refuse site.

13.2 Additional Information

Dispose of contents in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

14.4 Packing group

Not applicable Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

Not listed High Concern for Authorisation

REACH: ANNEX XIV list of substances

Not listed

subject to authorisation REACH: Annex XVII Restrictions on the

manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Community Rolling Action Plan (CoRAP)

Dioctyltin oxide (870-08-6), N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3), Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9), Trimethoxyvinylsilane (2768-02-7), 3-(trimethoxysilyl)propylamine (13822-56-5), [3-(2,3-

epoxypropoxy)propyl]trimethoxysilane (2530-83-8), Tetraethyl silicate (78-10-4) Titanium dioxide (13463-67-7), Trimethoxyvinylsilane (2768-02-7), Dioctyltin oxide (870-08-6)

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Regulation (EU) N° 649/2012 of the European Parliament and of the Council

Not listed

Not listed

concerning the export and import of hazardous chemicals

Dioctyltin oxide (870-08-6)

National regulations

Wassergefährdungsklasse (Germany)

15.2 Chemical Safety Assessment

WGK number 3 (highly hazardous to water)

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 2-4, 6-9, 11, 15-16

LEGEND

Hazard Pictogram(s)



GHS02: GHS: Flame GHS05: GHS: Corrosion GHS08: GHS: Health hazard GHS09: GHS: Environment

GORILLA &

Date of Issue: 24-08-2022 Date of Revision: 05-07-2023

Gorilla Grab Adhesive White

Hazard classification

Flam. Liq. 3: Flammable liquid, Category 3 Skin Irrit. 2: Skin corrosion/irritation, Category 2 Skin Sens. 1B: Skin sensitization, Category 1B Eye Dam. 1: Serious eye damage/irritation, Category 1 Eye Irrit. 2: Serious eye damage/irritation, Category 2

Acute Tox. 4: Acute toxicity, Category 4

STOT SE 3: Specific target organ toxicity - single exposure, Category 3

Repr. 2: Reproductive toxicity, Category 2

STOT SE 2 : Specific target organ toxicity – single exposure, Category 2 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation. H361f: Suspected of damaging fertility. H371: May cause damage to organs. H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do

not breathe spray or mist.

Precautionary Statement(s)

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

Acronyms

ATE: Acute Toxicity Estimate
CAS: Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures EC : European Community LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS $\,$

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 7 - 7 Revision: 5 - Replaces: 4